Aarav's Mathematical Grocery Adventure

Math in Motion.

NotebookLM

“AARAV! Can you please help me put away the groceries?”

The task seems overwhelming at first. Bags are overflowing, and jars of all sizes sit empty. But the chaos of the kitchen counter is no match for a mathematical mind.

NotebookLM



$$V = l \times w \times h$$

$$10 \times 5 \times 20 = 1{,}000 \text{ cm}^3$$

First up: the milk. Finding the volume of a cuboid tells us exactly how much space the milk packet will occupy on the refrigerator shelf.

NotebookLM

$$V = \pi r^2 h$$

$$3.14 \times 5^2 \times 15 \approx 1,177.5 \text{ cm}^3$$

Next, the sugar needs a home. It fits perfectly. Not too little, not too much. Calculating cylindrical volume ensures the sugar jar matches the packet's contents perfectly.

NotebookLM

Theory:

Carrots: 4 fit in Bag One.
3 remain for Bag Two.
(4 + 3 = 7)

Tomatoes: 6 fit perfectly into Bag Three.

The fresh produce requires spatial logic. Counting, grouping, and accounting for the physical limits of each bag requires basic division.

NotebookLM

Heavier, denser packets → Larger volume jars

Lighter packets → Smaller volume jars

Organizing five types of pulses. Matching different grain densities and packet weights to correct jar capacities is an exercise in comparative reasoning.

NotebookLM

Caveat

Observation: Fine particles pack tightly together with no empty air gaps to maximize internal capacity.

Coriander (Large Quantity) → Large Jar
Mirch (Medium Quantity) → Medium Jar
Turmeric (Small Quantity) → Small Jar
Turmeric (Small Quantity) → Small Jar



Finally, the spices. The fine texture of spice powders allows them to pack densely, changing how we calculate the maximum capacity of a container.

NotebookLM

Aarav's Math in Motion Toolkit

Task 1: Cuboid Volume
($V = l \times w \times h$)

Task 2: Cylinder Capacity
($V = \pi r^2 h$)



Task 3: Numerical Sets & Counting

Task 4: Categorical Sorting
(Density)

Task 5: Ratio & Capacity
(Particle Packing)

NotebookLM